

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	14451055	@ad< "20031223" @rlad< "20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
L9	2450	(locat\$3 identify identified look) with (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
L10	430	(characteristic character) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
L11	185	L9 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
L12	123	L11 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
L13	23366	(session nears (id identifier)) same (URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
L14	48	L12 and L13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
L15	0	709/223.cds. and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
L16	6	709/223.cds. and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57

L17	14453244	16and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57
L19	4	16 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57
S1	14366729	@ad< "20031223" @rlad< "20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:16
S2	95634	crawl\$3 spider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S3	17	"6665658"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:38
S4	1	"20030018779"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:34
S5	12	S3 and (spider\$3 crawl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:39
S6	12	S3 and (spider\$3 crawl\$3) and (index identifier ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:43
S7	0	S3 and (spider\$3 crawl\$3) and (index identifier ID) and redundent	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:44
S8	1	S3 and (spider\$3 crawl\$3) and (index identifier ID) and redundant	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 17:38

S9	35	("4996642" "5659732" "5701469" "5790426" "5864863" "5875446" "5878233" "5884282" "5913210" "5920859" "6012087" "6078866" "6078914" "6094649" "6167409" "6226630" "6263332" "6263364" "6271840" "6304864" "6351755" "6363377" "6633867" "6665658").PN. OR ("6931397").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:19
S10	58813	"35" and redundant	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:19
S11	11	S9 and redundant	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:20
S12	5056	redundant with (URL link index)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:37
S13	93	S12 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38
S14	76	S13 and S1	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38
S15	620	redundant with (URL link index) with (index identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:30
S16	25	S15 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38
S17	20	S16 and S1	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:40
S18	118	redundant with (URL link index) with (parameter identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:39
S19	5	S18 and S1 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:40
S20	1	"20040177015" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:16
S21	95634	crawl\$3 spider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30

S22	95634	S21	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S23	12650	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S24	3238	705/35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S25	11646	hash near5 value	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S26	1005	S25 with (URL link index) with (index identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:31
S27	46	S26 and S21	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:31
S28	14366729	@ad< "20031223" @rlad< "20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:31
S29	26	S27 and S28	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:45
S30	22	fingerprint with S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:29
S31	12	S30 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:46
S32	14	fingerprint with (add\$2 insert \$2) with (URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:29
S33	8	S32 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:30

S34	6	S33 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:30
S35	14449585	@ad< "20031223" @rlad< "20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:41
S36	1290	locat\$3 with identif\$3 with session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:42
S37	215	S36 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:44
S38	139	S37 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:44
S39	126	locat\$3 with identif\$3 with session with ID	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47
S40	17035	(locat\$3 identif\$3) with (session with (ID identif\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47
S41	4276	(locat\$3 identify identifying) with (session with (ID identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47
S42	456	S41 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:48
S43	317	S42 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:48

S44	7	S43 and (web near2 crawl \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:49
S45	6	S43 and (content near5 retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51
S46	3512	extract\$3 with URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51
S47	32	S46 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51
S48	1	"20040177015" and (id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 17:54
S49	3786	("same" identical) same ((session) with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:13
S50	3794	("same" identical (occur near5 multiple)) same ((session) with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S51	2618	S50 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S52	19	S51 and (web near2 crawler \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S53	86	S51 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:17

S54	342	(identical (occur near5 multiple)) same ((session with (id identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:18
S55	11	S54 and S35 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:19
S56	1	"6665658".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:30
S57	1	"20040177015" and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:38
S58	76	remov\$3 with session with identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:43
S59	2	"6952730"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 20:12
S60	1	"6665658".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:31
S61	0	"6665658".pn. and (session near2 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:31
S62	4	session near2 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:46
S63	5530	session near2 id	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47

S64	706	S63 same (URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S65	14449585	@ad< "20031223" @rlad< "20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S66	14449585	S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S67	508	S65 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:48
S68	86	S67 and (search near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 22:00
S69	3690	(locat\$3 identify identified look) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:07
S70	991	S69 and URL and (web near2 page)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:08
S71	14451055	@ad< "20031223" @rlad< "20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:12
S72	728	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:12
S73	134	S72 and (search near2 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:13

S74	27	(random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:22
S75	0	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:24
S76	6	S74 and URL and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:24
S77	20	S69 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:37
S78	16	S77 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:38
S79	0	search same (random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:40
S80	1	locat\$3 same (random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:41
S81	2450	(locat\$3 identify identified look) with (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S82	430	(characteristic character) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S83	185	S81 and 14'	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42

S84	185	S81 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S85	123	S84 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S86	23366	(session nears (id identifier)) same (URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:43
S87	48	S85 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:43

4/ 29/ 2008 1:11:25 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\10743547.wsp